

**DEKALB COUNTY DRAINAGE BOARD MEETING**

March 3, 2022

**Drainage Commissioners Present:**

Michael V. Watson, Chairman  
Bruce Bell, II, Vice-Chair  
William L. Hartman, Member  
Sandra M. Harrison, Member  
James A. Miller, Member

**Others Present:**

Michael C. Kline, County Surveyor  
Nathan Frye, First Deputy Surveyor  
Michelle Lassiter, Secr. /Drainage Board Admin. Asst.  
Shannon Kruse, Attorney

**Guests:**

Joni Luke

**Absent:**

None

Chairman Mike Watson called the regular meeting of the DeKalb County Drainage Board to order at 8:00 a.m.

**APPROVAL OF MINUTES**

A motion was made by Bill Hartman to approve the Minutes of February 24, 2022, as the standard minutes of the DeKalb County Drainage Board. The motion was seconded by Bruce Bell, II, the motion carried.

**VARIANCE REQUEST – 4740 COUNTY ROAD 47 JAMIE & JONI LUKE POLE BARN REQUEST – THOMAS GEORGE TILE DRAIN NO. 117-00-0:** Joni Luke presented the request to construct a pole barn no closer than fifty feet to the Thomas George Tile Drain No. 117-00-0. Mr. Kline recommended the Board approve the request, stating the barn would cause no issues for future maintenance or reconstruction of the drain.

Jim Miller moved to approve the variance for a pole barn to be constructed no closer than fifty feet to the *Thomas George Tile Drain No. 117-00-0* by the Lukes at 4740 CR 47 based on the Surveyor's recommendations, the motion was seconded by Sandy Harrison, motion carried.

Mr. Watson cautioned Mrs. Luke that should the Drainage Board or Surveyor's Office find the barn impedes future work on the drain, the Lukes would be responsible for any additional cost the barn might cause the drain account to incur due to the barn's location in relation to the drain. Mrs. Luke stated she understood the stipulation.

**FRONTIER COMMUNICATIONS UTILITY PERMIT REQUEST – COUNTY ROAD 16 BETWEEN COUNTY ROAD 51 & COUNTY ROAD 53 – GEORGE MATSON OPEN DRAIN NO. 73-00-0:** Mr. Kline stated Frontier was requesting a utility permit to provide service to Judy Kaufman at 5334 County Road 16. The project would require line work on the north side of the road, on the west side of the drain, between two pedestals. The eastern pedestal was fifty-five feet from the top of the bank of the drain. Frontier already had lines crossing the drain.

Bruce Bell, II moved to approve the utility permit for Frontier Communications for work within the right-of-way of the *George Matson Open Drain No. 73-00-0* on the north side of County Road 16 between County Road 51 and County Road 53 to provide service to 5334 County Road 16. Bill Hartman seconded the motion, motion carried.

**FRONTIER COMMUNICATIONS UTILITY PERMIT REQUEST – COUNTY ROAD 52 BETWEEN COUNTY ROAD 15 & COUNTY ROAD 17 – A. J. CUSTER TILE DRAIN NO. 299-00-0:** Mr. Kline explained Frontier was requesting a utility permit to provide service to the Stewards at 1622 County Road 52. The project would cross the tile drain as the service drop was made along

the Stewards' driveway. Mr. Kline stated he had no concerns with the lines crossing the drain. He would have his inspectors ensure the drain was not damaged by the contractor.

Bill Hartman moved to approve the utility permit for Frontier Communications for crossing the *A. J. Custer Tile Dain No. 299-00-0* while providing a service drop to 1622 County Road 52. Jim Miller seconded the motion, motion carried.

### **SURVEYOR'S REPORT**

Mr. Watson asked for the Surveyor's Report, Mr. Kline provided the following information:

*E. P. SHERWOOD TILE DRAIN NO. 162-00-0*: Mr. Kline informed the Board he had been notified by the DeKalb County Highway Department regarding flooding on County Road 23. In investigating the issue the Surveyor's inspectors found significant holes in the *E. P. Sherwood Tile Drain No. 162-00-0* where it went through a wooded area on land owned by William and Laura Papaik. The tile status was such Mr. Kline felt it should be reconstructed. Trees would need to be removed 30 – 40 feet on each side of the tile to allow equipment access. However, Mr. Papaik did not want to allow the Surveyor's Office access to do so. Mr. Papaik only wanted to allow spot repairs. Mr. Kline did not feel spot repairs would alleviate the road flooding issue sufficiently. Mr. Kline reported the downstream section of the tile had been repaired repeatedly and was not in good shape. Mr. Kline was asking what the Board would support to get the water off the road. The Board consensus was Public Safety had to be the number one concern.

During a further discussion of the drain, it was found that the *E. P. Sherwood Lateral 2 Tile Drain No. 162-02-0* went south across Us Hwy 6. The water in this drain flowed north to the *E. P. Sherwood Tile Drain No. 162-00-0*. Mr. Kline stated that since there was a potential wetland where the drain crossed County Road 23, he would purpose a structure on the west side of the road set at normal wetland level that would pick up excess water in times of heavy rain or snowmelt. Mr. Kline stated it was a possibility to have solid tile go through the Papaik's woods, however, tree roots could still penetrate the tile joints to cause damage to the tile. Local residents had reported the water laying across County Road 23 for about six days with the last rain.

It was decided Mr. Kline would bring to the Board for review a general plan for the construction of the tile. Mr. Kline stated he could not put a solid timeline for a date due to the workload his office has currently.

*LEVI DENNISON TILE NO. 317-00-0*: Mr. Kline distributed copies of emails received from Mr. Larry Kummer regarding the reconstruction of the *Levi Dennison Drain* dated 02.19.2022 and 03.02.2022. After giving the Board time to read the emails, Mr. Kline explained that he had met with Mr. Kummer, who is the largest landowner in the watershed, on 03.01.2022 to discuss the Gensic Engineering reconstruction route for the drain. Mr. Kline reported that Mr. Kummer did not like the Gensic Engineering route. Mr. Kline stated he felt Gensics had not followed good procedures regarding getting landowners' input before developing a route for the drain reconstruction. Mr. Kline explained that when developing a drain reconstruction plan he tried to talk to the landowners to get their perspective on flooding issues and where the landowners felt the drain should run.

Mr. Kline further explained he has met with a gas company representative regarding the gas pipeline in the *Levi Dennison Drain's* watershed. The representative told Mr. Kline the gas company would require the drain to be either two feet above or two feet below the gas pipeline. Mr. Kline stated being two feet above the pipeline would provide enough fall for the drain, and being two feet below the pipeline would be below the drain. Mr. Kline also explained that when designing a drain, he used Purdue University's recommendations of .03 cubic feet per square acre to size a drain. Mr. Kline

thought that for the size of the watershed, which was approximately 381 acres, the drain tile size at the bottom end should be at least 24 inches. Mr. Kline stated it was easiest to reconstruct a drain in the same location where it and the related right-of-way already exist.

Mr. Kline explained the route he preferred for the drainage reconstruction and the route Mr. Kummer wanted to use. Mr. Kline stated Mr. Kummer's route would basically only drain his property and a couple of neighboring properties, making the drain more of a private tile than a county-regulated drain, which would leave several landowners without access to the drain. Mr. Kline stated he did not want to vacate the drain, but to reconstruct it to address the needs of the entire watershed. Mr. Kummer wanted to bring in Kellogg Drainage and Clifford Excavating to design and install the reconstructed drain. Mr. Kline stated he designed drains for the long-term for an entire watershed, and he wasn't sure that would be the case if Kellogg and Clifford were hired for the project.

Mr. Kline stated Mr. Kummer had provided Mr. Kline with a lot of watershed history that would help put a drain reconstruction plan together.

Mr. Kline informed the Board there was a substantial suck hole in the field over the drain that would need to be repaired before the reconstruction. The drain had never been placed on maintenance, so he would be asking the Board for permission to put the drain in the red. He explained part of the reconstruction hearing process would be to place the drain on maintenance.

As Jim Miller and Sandy Harrison were new to the Board, Mr. Kline explained he felt outside engineering firms were not well suited to design county drains, as they were more used to designing city storm sewers, which were a different thing altogether. There was a lot of work that had to be done in the field at the time of reconstruction, as there were a lot of unknown factors in play. Most of the county drains had been installed between 1880 and 1920, without any good records having been kept. The State Code had been put in place in the 1960s.

Mr. Kline stated he didn't agree with the plan put together by Gensics as it had drainage structures in the fields. Mr. Kline stated drainage structures in fields usually would plug up with plant material.

Mr. Kline explained the contract with Gensic Engineering was a test project. The Drainage Board had decided to hire an engineering firm to help relieve his office as there were a lot of projects at the time on his office's plate. Ms. Kruse explained the State Code that permitted the Board to declare a drain an emergency and to hire an outside engineering firm. Mr. Kline explained that he was an elected official and a technical advisor to the Drainage Board per State Code. Mr. Kline further stated he wanted to work amicably with the Board as they both were charged in their duties to improve drainage in the county.

It was decided to hold an informational meeting in the near future, inviting all the watershed landowners and Gensic Engineering, so everyone could have input and a plan to go forward could be determined.

*REUBEN SAWVEL OPEN DRAIN NO. 444-00-0:* Mr. Kline informed the Board he had received a request for an outlet connection to the *Reuben Sawvel Open Drain* from Rory Walker on behalf of M & P Walker Family Corp. Mr. Walker believed the Surveyor's staff some years before Mr. Kline was in office had damaged a private tile that ran under US Highway 6 and the adjacent railroad tracks by heavily rip-rapping the tile outlet. Mr. Walker was working with the Indiana Department of Transportation (INDOT) to repair/replace the tile under the roadway. Mr. Walker was asking the county to pay for the repair/replacement under the railroad. Mr. Kline stated the county didn't normally repair or pay for repairs of private tile. Mr. Kline stated there was approximately \$8,000.00

in the drain account. A discussion was had regarding the fact that during reconstruction projects pipe was regularly purchased to replace private outlets that were in disrepair before reconstructions were made. It was from that discussion the decision was made to pay for the pipe out of the drain account, but not the installation costs.

*FRED GROSCUP JR. DRAIN NO. 335-0:* Mr. Kline stated Parkview Health, Inc. had signed the consent and waiver for the reconstruction of the *Fred Groscup Jr.* drain. The document needed to be signed by the County Commissioners, then the Drainage Board. Mr. Kline asked if someone from the Surveyor's Office needed to present the document to the Commissioners on Monday or if one of the Commissioners wanted to take it to the meeting. It was decided that Bill Hartman would take the document to the meeting.

For the new members of the Board, Mr. Kline explained the drain was located on the west side of Interstate 69. The reconstruction would have the drain run from the county-owned pond south to State Road 8 right-of-way. This project was in conjunction with relieving the flooding issues caused by the deterioration of the *John Ketcham Drain 335-00-0* on the east side of Interstate 69 that was detrimental to businesses located in the area. Mr. Kline explained the City of Auburn had hired a consultant who had put a report together regarding the *Ketcham Drain* and was now in the process of putting a reconstruction design together. Mr. Kline further explained there was an Interlocal Agreement between the City of Auburn and the County for the reconstruction of the *Fred Groscup Jr.* drain. The City of Auburn would be paying for the upsizing and manholes, with the County Commissioners paying for the remainder of the project. The plan was for the City of Auburn to take over the drain when completed to manage the development of the area.

The *Ketcham Drain* would connect into the *Auburn Industrial Park Drain No. 256-00-0*. Mr. Kline further explained the *Auburn Industrial Park* drain needed reconstructing as well. This drain was installed in the 1960s and was constructed of sixty-six-inch corrugated metal. At one time 2x4s were holding the drain up in the Kroger parking lot. The drain had been patched. Mr. Kline thought the *Auburn Industrial Park* drain could be redone by relining the metal with stoned plastic.

*2022 DRAIN ASSESSMENTS:* Mr. Kline presented Board with the certification letters and list of drains for the 2022 assessments, explaining by Indiana State Code the county was to collect assessments on all drains unless the Drainage Board set criteria for when drains are not collected. Under those circumstances, a list was to be sent to the County Auditor and County Treasurer. However, the Surveyor's Office had found it easier over the years to create a list of drains to be collected and send that list to the Auditor and Treasurer.

Mr. Frye then explained the process used to determine which drains to collect, with all drains in the red or with less than a year's worth of collections being paramount, next were those that would need maintenance during the year, and then any that had less than four years of assessments, but the amount would not be able to provide work should a situation arise. Mr. Frye then explained how the drains for assessment were uploaded into the financial software for collection. Mr. Frye additionally explained the collections were estimates as other factors such as delinquencies would come into play for the collected amount. After reviewing the list of drains and documents, Sandy Harrison moved to approve the list of drains and sign the documents to be sent to the County Auditor and County Treasurer. Bruce Bell, II seconded the motion, motion carried.

<b>Account No.</b>	<b>Name</b>	<b>Drain. No.</b>
60020	Paul Funk	3-00-0
60035	E. D. Creager	6-00-0
60040	Lemuel Nelson	7-00-0

60066	Hilkey-Carnahan	12-00-0
60080	Hilkey-Carnahan Lateral 5	12-05-0
60090	Frank Albright	14-00-0
60095	Frank Albright Lateral 1	14-01-0
60105	Terry Lake	15-00-0
60106	Raymond Clark	16-00-0
60110	Thomas Hardwood	17-00-0
60130	Walter Smith	20-00-0
60145	William Peckhart	22-00-0
60155	Strauss Brothers	23-00-0
60160	A. L. Ober	24-00-0
60170	A. L. Ober Lateral 3	24-03-0
60175	A. L. Ober Lateral 4	24-04-0
60185	A. L. Ober Lateral 7	24-07-0
60190	A. L. Ober Lateral 8	24-08-0
60195	A.L. Ober Lateral 8 Spur 3	24-08-3
60200	A.L. Ober Lateral 8 Spur 4	24-08-4
60205	A.L Ober Lateral 8 Spur 5	24-08-5
60210	A.L Ober Lateral 8 Spur 6	24-08-6
60215	A.L.Ober Lateral 8 Spur 7	24-08-7
60220	A.L. Ober Lateral 8 Spur 9	24-08-9
60225	A.L Ober Tile	24-20-0
60235	Daniel Shilling	25-00-0
60245	Frank Yarde	27-00-0
60260	Martin Wagner	29-00-0
60285	Samuel Hindman	34-00-0
60290	Mary Leisinger	35-00-0
60300	Fred Dosch Lateral 1	36-01-0
60310	William Egbert (Open)	38-00-0
60315	William Egbert Lateral 1	38-01-0
60320	William Egbert Lateral 2	38-02-0
60325	William Egbert Lateral 3	38-03-0
60345	William Egbert Cameron Lateral	38-33-0
60350	John Potts	39-00-0
60355	John Potts Lateral 1	39-01-0
60365	John Potts Lateral 2 Spur	39-02-1
60380	Don Van Fliet Open	40-00-0
60385	Donald Van Fliet Tile	40-20-0
60390	C.O. Metcalf	41-00-0
60410	John Weicht Tile	42-20-0
60415	Ralph Staley	43-00-0
60420	Ralph Staley Lateral 1	43-01-0
60430	Garrett City Tile	44-20-0
60440	John Diehl Lateral 5	45-05-0

60450	John Diehl Lateral 7	45-07-0
60455	John Diehl Lateral 7 Spur 1	45-07-1
60458	John Diehl Lateral 11	45-11-0
60470	William Capp	47-00-0
60475	Daniel Hursey	48-00-0
60486	Daniel Hursey South Lateral 1	48-81-0
60500	John Bemenderfer	49-00-0
60503	E. P. Sherwood	50-00-0
60505	Willmina Ringwalt	51-00-0
60510	Ora E. Baker	53-00-0
60515	Ora Bohler	54-00-0
60520	Charles O. Speer	55-00-0
60525	Lewis Scattergood	56-00-0
60530	J. J. Hampshire	57-00-0
60535	Elmer Likens	58-00-0
60550	O. E. Pooler	60-00-0
60565	Ora Kuhlman	63-00-0
60570	William H. Myers	64-00-0
60575	Charles Mies West	65-90-0
60585	Fred Culbertson	67-00-0
60590	Mathias Schiffli Main	68-00-0
60595	Mathias Schiffli Lateral 1	68-01-0
60600	Eliza Werntz	69-00-0
60605	W. A. Mason	70-00-0
60610	Alex Provines	71-00-0
60615	Thomas Noel	72-00-0
60620	George Matson	73-00-0
60635	George Matson Lateral 3	73-03-0
60640	George Matson Lateral 4	73-04-0
60655	George Matson Lateral 7 Spur 5	73-07-5
60665	George Matson Lateral 9	73-09-0
60695	Frank Sebert	75-00-0
60697	Henry Emme	76-00-0
60720	William Hollabaugh	79-00-0
60721	Elaine Kline	80-00-0
60740	Cliff Metcalf Tile	83-20-0
60760	James Ferguson	86-00-0
60765	James Ferguson Dove Lateral	86-34-0
60770	James Ferguson Miller Lateral	86-43-0
60780	James Ferguson Schmadel Lateral	86-49-0
60785	James Ferguson Warner Lateral	86-53-0
60790	James Ferguson Warner Lateral Smith Spur	86-53-1
60795	G. B. Collins	87-00-0
60800	Manoah Miller	88-00-0

60820	Fred T. Miller	91-00-0
60825	Lyman Lockwood	92-00-0
60830	John Huyck	93-00-0
60835	Rufus Strong	94-00-0
60855	Jerry Varner	96-00-0
60860	Jerry Varner Lateral 1	96-01-0
60865	Noah Smith	97-00-0
60885	William Tritch Lateral 3	98-03-0
60890	William Tritch Tile	98-20-0
60900	Dan Ellert	100-00-0
60905	William Brown	101-00-0
60910	George Smith	102-00-0
60915	Richard Carter	103-00-0
60920	Albert Hovarter	104-00-0
60930	A. B. Mccullough Lateral 1	105-01-0
60935	A. B. Mccullough Lateral 2	105-02-0
60936	A. B. Mccullough Lateral 2	105-02-0
60940	A. B. Mccullough Lateral 3	105-03-0
60945	George Scattergood	106-00-0
60955	Harry Shull	109-00-0
60960	Frank Laub	110-00-0
60965	Guy Platter	112-00-0
60975	James Goings Tile	113-20-0
60995	Alvin Keesler	116-00-0
61010	Daniel Wagner North	119-60-0
61020	Daniel Wagner South	119-80-0
61040	Charles Newcomer	124-00-0
61045	Lint-Stahl	125-00-0
61070	Frank Teutsch	127-00-0
61084	Frank Warner	129-00-0
61110	Ernest J. Fifer	136-00-0
61120	John Lash	137-00-0
61121	Horaito Squires	138-00-0
61122	Geroge Harmes	139-00-0
61130	Argyl Grogg	143-00-0
61135	King-Sattison	145-00-0
61140	George Packer	146-00-0
61155	E. A. Bordner	150-00-0
61160	Ellen Reed	151-00-0
61165	Ellen Reed Tile	151-20-0
61175	John Hoffelder Lateral 1	153-01-0
61190	John Hoffelder Lateral 4	153-04-0
61200	George Dilley	154-00-0
61215	Henry Geddis	157-00-0

61225	William Leins	159-00-0
61240	E. P. Sherwood	162-00-0
61255	George Carper	167-00-0
61285	Frank Johnson	171-00-0
61295	W. A. Dannells	174-00-0
61305	Ozro Freeman	175-00-0
61320	Almira Teutsch Lateral 1	177-01-0
61325	Almira Teutsch Lateral 2	177-02-0
61335	Almira Teutsch Tile Lateral 2	177-22-0
61340	Albert Fisher	179-00-0
61345	Marion Haverstock	180-00-0
61350	Harvey Guthrie	181-00-0
61355	Alva Coburn	183-00-0
61360	Alva Coburn Tile	183-20-0
61365	Harold Custer	184-00-0
61370	Samuel Hindman	185-00-0
61390	John Hamman Lateral 2	188-02-0
61395	John Hamman Lateral 3	188-03-0
61400	John Hamman Lockhart Lateral	188-42-0
61405	John Hamman Tile Richter Lateral	188-48-0
61415	William Spangler	189-00-0
61430	Billy Knox Open	193-00-0
61435	Billy Knox Tile	193-20-0
61440	William Sechler	195-00-0
61450	A. W. Gonser	198-00-0
61455	Baltzer Stahl	199-00-0
61460	Butler City	200-00-0
61470	Michael Haines	202-00-0
61485	John Wilderson Lateral 1	204-01-0
61490	John Wilderson Lateral 2	204-02-0
61515	John Wilderson Lateral 6	204-06-0
61520	John Wilderson Lateral 7	204-07-0
61525	John Wilderson Tile	204-20-0
61535	Henry Beams	205-00-0
	J. W. Jackman	206-00-0
61540	James Provines	207-00-0
61550	Laura Yarian	210-00-0
61560	David Link Lateral 1	211-01-0
61565	David Link Lateral 3	211-03-0
61570	David Link Lateral 4	211-04-0
61580	John Barkey	213-00-0
61585	Harley Cobbs Tile	214-00-0
61590	Aaron Baker	216-00-0
61610	E. P. Griffin	224-00-0



61630	Solomon Simon West	227-90-0
61631	Dayspring Church	228-00-0
61635	Ira Goetchius	232-00-0
61645	Don Van Filet	234-00-0
61650	Harley Cobbs Open	235-00-0
61660	Jacob Brunner	237-00-0
61690	Charles Sharp Open	244-00-0
61710	David Fealger	247-00-0
61720	Catherine Kinkle	255-00-0
61725	Auburn Industrial Park	256-00-0
61730	Henry Delong	257-00-0
61735	Samuel Healy	258-00-0
61740	A. E. Seldenright	259-00-0
61745	Mary Metcalf	261-00-0
61760	Nowlin Rafine Yoder	262-00-0
61765	J. Harris Reed Open	263-00-0
61770	J. Harris Reed Lateral 1	263-01-0
61790	Albert Higbea Open	268-00-0
61795	Albert Higbea Lateral 1	268-01-0
61800	Albert Higbea Lateral 2	268-02-0
61805	Albert Higbea Tile	268-20-0
61810	George F. Delong	277-00-0
61815	Henry Frick	278-00-0
61820	Elizabeth Rinehart	279-00-0
61835	Joseph Stahl	285-00-0
61838	John Bryant	289-00-0
61850	L. G. Duesler	294-00-0
61855	Grover Likens	295-00-0
61860	Anna Hamman	297-00-0
61866	A. J. Custer	299-00-0
61875	Jacob Fetters	303-00-0
61885	Simon Smurr	305-00-0
61900	Milks-Heckathorn	310-00-0
61905	Sarah Fulton	312-00-0
61910	Samuel Noragon	313-00-0
61915	Daniel Metcalf Drain	314-00-0
61920	Bertha Carpenter	315-00-0
61935	Fred Ellert	323-00-0
61940	William Weicht	327-00-0
61945	William Rex	328-00-0
61950	George Reeve	329-00-0
61955	Samuel Hawver	330-00-0
61960	Frederick Groscop JR	335-00-0
61965	James M. Friend	336-00-0


61975	John Shugars	338-00-0
61985	Parley Palmerton	341-00-0
61990	Walter Abel	342-00-0
62000	William H. Brown	344-00-0
62020	Fred Groscup North	352-60-0
62025	Fred Groscup South	352-80-0
62030	Jerry Davis	353-00-0
62033	Thomas Stafford	354-00-0
62035	Emmet J. Armstrong	355-00-0
62040	H. M. Widney	358-00-0
62045	Francis Mergy	360-00-0
62050	Elmer Dunn	361-00-0
62060	John Means Lateral 1	363-01-0
62065	John Conrad	365-00-0
62075	Ralph Hook	369-00-0
62080	James Ricketts	370-00-0
62085	John Cool	371-00-0
62090	Letitia Shearer	374-00-0
62095	John F. Dancer	379-00-0
62100	Charles Lehmbeck	384-00-0
62105	Thomas McNamara	387-00-0
62110	Brooks Hine	388-00-0
62116	Henry Kundred	396-00-0
62120	Eugene Krehl	400-00-0
62125	Ruben Lockwood	402-00-0
62135	Ira Ricketts	406-00-0
	Harvey Moody	416-00-0
62161	Joseph Sechler	421-00-0
62163	J. C. Dawson	422-00-0
62165	F. H. Gee	424-00-0
62175	R & H Bearss	429-00-0
62180	Jacob Magginnis	433-00-0
62185	Erwin Sellke	436-00-0
62195	William Bleeks	439-00-0
62200	Frank Gaff	445-00-0
62204	Nickodemus Spindler	448-00-0
62205	J & R Myers	451-00-0
62210	Ernest Warner	452-00-0
62215	Ernest Warner Lateral 1	454-00-0
62220	Ernest Warner Lateral 2	454-01-0
62225	Robert Platt	454-02-0
62230	John Platt Tile 1	456-00-0
62245	John Platt Tile 2	457-00-0
62255	Grover Boyd	458-00-0


62260	Ed Riccius	463-00-0
62265	Cedar Creek	465-00-0
62272	Eda Willennar	470-00-0
	Krumlauf	472-00-0
62273	Paul Freeman	1008-00-0
62274	Willmina Ringwalt Open Ditch	1150-00-0
62275	Daniel Metcalf Jt	1151-00-0
62280	W. O. Lake	1414-00-0
62295	Hamm Unit (Hamm Joint)	1518-00-0
62321	Sycamore Creek	1710-00-0
62325	Hiram Sweet Lower	2005-00-0
62330	Thomas Malone	3001-00-0
62335	Robert Johnson	3002-00-0
62340	Charles Conrad	3003-00-0
62350	Frank Nelson	3004-00-0
62355	Frank Nelson Lateral 6	3005-00-0
62360	Hiram Sweet Mid	3005-06-0
62365	Hiram Sweet Upper	3006-00-0
62390	Ottomer Chasey	3007-00-0
62395	Crampton-Gaetz	3012-00-0
62400	Alexander Nichols	3013-00-0
62410	Tamarack	3014-00-0
62435	Adam Deetz	4444-00-0
62460	Gord Crk So Fk	5178-00-0
62465	State Rt 2 Jt	6079-30-0

## DISCUSSION

Mrs. Lassiter informed the Board they had copies of the February 28, 2022 schedule of claims for the Surveyor's Office. Mr. Watson asked if there were any questions regarding the schedule of claims. There were none.

There being no further business, the meeting adjourned at 10:14 a.m.

  
 Michael V. Watson, Chairman

  
 Michelle Lassiter, Administrative Assistant

# DEKALB COUNTY DRAINAGE BOARD

NO.	NAME	PHONE (HOME)	PHONE (CELL)	EMAIL ADDRESS	MAILING ADDRESS	PETITION OF INTEREST
1	<i>Joni Luke</i>		<i>517-398-0228</i>		<i>4740 CR 47</i>	<i>JAMIE LUKE BARN</i>
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						

DATE  
**03/03/2022**